PTO/SB/21 (04-07)
Approved for use through 09/30/2007. OMB 0651-0031

Under the Paper	work Reduc	tion Act of 1995.	no person	s are required to respond to a col	lection of info	ormation unles	s it displays a vali	id OMB control number.	
				Application Number	10/611,487				
TRANSMITTAL FORM			Filing Date	July 1, 200					
			First Named Inventor	Jerry A. Kri					
			Art Unit	2621	2621				
(to be used for all correspondence after initial filing)			Examiner Name	Nhon Than	anh Diep				
Total Number of Pages in This Submission				Attorney Docket Number	1717-SPL	1717-SPL			
ENCLOSURES (Check all that apply)  After Allowance Communication to TC									
Amendment Afte After After After After Extension o Express Ab Information  Certified Co Document(e	Document(s)  Reply to Missing Parts/ Incomplete Application  A		Rema Reques 1.48(a)	t (under 37 CFR 1.48(a)) to Correct Inv From Persons Being Added As Invento		Appeal Communication to Board of Appeals and Interferences Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Endosure(s) (please Identify below): Correct Inventorabip - Add Inventors (see remarks) International Control of Control			
			TIDE	OE ADDI ICANT ATTO	DNEV C	D AGEN	т -		
Firm Name	SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT								
Johns Hopkins University Applied Physics Laboratory									
Signature Quant Farelot									
Printed name	Albert J. Fa	sulo, II							
Date 9/11/05		のつ	Reg. No. 43,607						
CERTIFICATE OF TRANSMISSION/MAILING									
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:									
Signature									
Typed or printed name						D	ate		

This colocition of internation is required by TJ CEF 1.5. The internation is required to detain or retain a benefit by this rubb valerie is for large with the ISES of the ISE